

Only Think! Sink!

SMART SINK SYSTEM DESIGNER



BÊKJO

T +82 2 929 4443
F +82 2 929 4442
www.baekjosink.com

HEAD OFFICE Baekjo bldg. 463, Cheonggyecheon-ro, Dongdaemun-gu, Seoul, Korea

FACTORY 353, Daeseong-ro, Samseong-Myeon, Eumseong-gun, Chungcheongbuk-do, Korea

Specifications of this catalog may be subject to change or discontinuation and price changes to improve product quality and performance. Color of printed product and color of actual product may be slightly different.

(Issued BAEKJO SINK in April 2026)



Crafting the Essence Since 1964

Founded on a legacy of stainless steel expertise, Baekjo Sink has been elevating kitchen standards for over 60 years. Our meticulous manufacturing process ensures that every piece embodies both functional excellence and structural integrity. Experience the lasting quality of Baekjo Sink—a timeless foundation for a more comfortable and inspired kitchen life.

CONTENTS

BÊKJO SINK	03	HISTORY
	04	Brand Identity
	05	Technology
	06	Installation type
KITCHEN SINK	07	BÊKJO composite sinks
	09	CalmForte
	11	Premium Sinks
	13	Coni Sinks
	15	Reform Sinks
	18	Layered Sinks
	19	Inset & Under Sinks
	24	Medium Drain Sinks
	25	Quiet Sinks / Age-Friendly
	26	Enameled Sinks / Farm Sinks
	27	US Sinks
	29	Single Lay-on Sinks
	31	Jumbo Lay-on Sinks
	32	Double Lay-on Sinks / Lay-on Tables
ACCESSORIES	33	Sink Accessories
	35	Drain Fittings
APPLIANCE	36	Kitchen Hoods
	37	Kitchen Faucets
REFORM	39	Sinkbowl Replacement
WORKTOP	41	Custom Order

HISTORY

2025

2025.09 Layon Countertop received the Minister of Trade, Industry and Energy Award at the 4th Stainless Steel SME Idea Contest
 2025.08 Reco 85, Minister selected Good Design Awards(GD) Ranked No.1 in Consumer Preference in Korea for Two Consecutive Years

2023

2023.11 MODI85 received the PIN UP design award
 2023.10 Enameled Line Sink, Modi85 received the Good Design award
 2023.04 Selected as "1,000 Global Small Hidden Champions"
 2023.03 Selected as Export Voucher(Korea SMEs and Startups Agency)
 2022.11 CalmForte was selected as the Brand K
 2022.11 Selected as Time-Honored Business
 2021.11 PIN UP Design Awards 2021 QLD850
 2021.09 Good Design Awards 2021 CALMFORTE 850L
 2021.06 Awarded a Presidential Citation at the 32nd 2021 Korean Small and Medium Business Convention
 2018.12 "Quiet "New brand is launched (Patent No. 10-2018-0073130)
 2018.11 Quiet 983 sink is awarded 2018 Good Design "National Technology Standards Director"
 2018.11 Multi-laundry Washing bowl and Quiet 983 are awarded the 2018 Pin-Up Design
 2017.12 PIN UP Design Awards 2017 'VS950, ONE-TOUCH HOOK DRAIN'
 2017.03 The 3rd STS Product Idea and Design Competition by Korea Iron & Steel Association and BÊKJO SINK
 2016.11 Awarded the grand prize by Minister of Trade, Industry and Energy at the 18th Korean Design contest (Design Management Division)
 2016.03 Awarded as an excellent company for outstanding tax payment (National Tax Service)
 2016.03 SC550 was selected as a Good Design
 2015.10 Received bronze prize from Korea Iron & Steel Association for 'New Concept of Minimalism Sink'
 2015.07 BÊKJO SINK holds a design contest for college students for a second time (jointly with: Korea Iron and Steel Association)

2000

2007.08 Achieved certificate of New technology from the Minister of Science and Technology
 2006.05 Technology Frontier Awards 'CDS840'
 2004~ Registered many patents for a new invention in Korean Intellectual Property Office
 2004.02 Registered brand name "CONI" in Saudi Arabia & Other countries
 2002.11 Created new brand name 'Luski' (Luxury Stainless Kitchen)
 Acquired ISO14001 Certification & Selection for the active company from a Credit Bank
 2002.08 Changed name to BAEKJO SINK Co., Ltd.
 2001.03 Acquired ISO9001 Certification CCAS K-1046

1970

1984.03 Registered Trademark as 'Pal Do Sink' in Korean Intellectual Property Office
 1981.07 Opened new factory in An-Sung, Korea (26,400 SQMT)
 1979.04 Acquired KS(Korean Standards) Mark in Korean Standards Association(No.1761)
 1974.05 Awarded the Gold Medal in the 1st Goods Exhibition
 1973.06 Registered Trademark as 'BÊKJO SINK' in Korean Intellectual Property Office
 1972.02 Changed name to Dong-Sung Extrusion Ind. Co., Ltd.

2024

2024 Baekjo Sink's 60th anniversary
 2024.11 Recipient of the Prime Minister's Commendation for Contributions to the Development of the Plumbing Industry

2010

2014.12 US\$5 million, tower of export award appointed by the president (The host organization : KFTA)
 2014.11 Bronze medal by Korea Iron and Steel Association
 'Multi functional Kitchen Sink'
 Stainless Steel Best Product Contest 'Multiple Kitchen Sink'
 2014.10 BÊKJO SINK-POSCO MOU Contract
 2014.09 Industrial innovation 3.0 awards (The host organization : Korea Chamber of Commerce and Industry)
 2014.01 POSCO Supplier/Buyer Support Agreement (2nd Agreement)
 2013.09 First design contest for university students host (Korea Iron and Steel Association by joint auspices)
 2012.05 Bronze medal by Korea Iron and Steel Association 'CUBE Hood'
 2011.05 Bronze medal by Korea Iron and Steel Association 'EDSH 880'
 2011.05 Good Design Awards 'EDSH 880'

1990

1999.11 Acquired Organization Standard in Korea Sink Association (No.3)
 1998.05 Established overseas marketing office, Coni International Co., Ltd. and created brand name "CONI"
 1993.03 Opened new factory in Eum-sung, Korea (33,000 SQMT)

1960

1964.04 Established as Sam-Hwa Metal Co., Ltd.(Non-Ferrous)

IDENTITY



01 Scientifically Designed Kitchen Sink

Baekjo provides designs that bring convenience and hygiene into the kitchen and fulfills the needs of the customers through various kitchen sink system technologies.

02 Systemically Designed Kitchen Sink

Baekjo is designed to take up minimal space with innovations in energy saving functional design for the sink system, kitchen sink, and faucet, etc. Offering in minimum space with the lowest energy the best functional kitchen sink system, kitchen sink, faucet and so on.

03 Artistically Designed Kitchen Sink

Baekjo becomes the centerpiece of every kitchen by suggesting elegant and harmonious designs to complement and accent the kitchen space.

04 Eco-Friendly Designed Kitchen Sink

Baekjo is designed to take care of food waste efficiently and save water.

TECHNOLOGY



Coni Clear Coating Properties Test			
Factors	Coni Clear Coating	Ceramic	Note
Degree of the coating	Greater than AL-0.4T SUS-0.2T	Greater than 1.6T	Limited material
Ingredients	Water-based inorganic material	Organic-inorganic hybrid	
Hardness of the coating	Greater than 9H	Under 5H	KS D6711
Flexural resistance	No problems found	No problems found	KS M5000-03
Water resistance	No problems found	No problems found	
Stain resistance	Can be washed by water	Washed by solvent	specifications of Korea Land &Housing Corporation-05
Chemical Resistance	23±2℃, 5% H ₂ SO ₄ , 24 hours	No problems found	△ KS D5000
	±2℃, 5% HCl 24 hours	No problems found	No problems found KS D5000
	23±2℃, 5% NaOH 24 hours	No problems found	X KS D5000
Coating Adhesion	100/100	△	KS D6711-92
Moisture resistance (168H)	Average	△	KS M5000-03
Antimicrobial	Very outstanding	Average	KICM-FIR-1003
Hazardous substances resistance (heavy metal)	Cannot detect	△	No Chemical / Industrial Waste
Infrared Ray	Good	Good	KICM-FIR-1005
Salt Spray Test	No problems found	△	KS D9502(168h)
Non-flammable	Non-toxic, lead-free	Found toxic gas	
Glossiness (60)	110-130	50-70	KS M ISO2813-02

▶ Korean Construction Materials Testing Laboratory

CONI CLEAR COATING

The demand for stainless steel products is growing rapidly due to concerns about harmful endocrine disruptors and increasing consumer distrust of plastics.

The unique characteristic of stainless products is not rusting and being sanitary unlike other household sinks that rust due to harsh chemicals. Made with high quality raw materials and coated with Coni clear coating, Baekjo sinks can withstand corrosion, salt content, wear and tear, chemicals, and bacteria.




INSTALLATION TYPES

● TOP MOUNT TYPE

Top mount is the most popular installation types all around the world.


The size and position of the cutout holes should be determined by measuring 12 mm inward from the outer edge of the wing.



● UNDER MOUNT TYPE

Under mount is the most popular installation types in Korea.

The size and position of the cutout holes should be determined by measuring 4 mm inward from the outer edge of the wing.



BÊKJO composite sinks



MANO 530

● ● ● ●
Black Beige Sage Grey



M 600
T 530X460X200
B 500X400
H 89(SS)
C 520x444(Inset) / 496x396(Under-mount)

MANO 680 **BEST**


● ● ● ●
Black Beige Sage Mocha



M 800
T 680X500X200
B 625X395
H 89(SS)
C 620X390XR10(Under-mount)

MANO 860

● ● ● ●
Black Beige Red Mocha



M 900
T 860X500X200
B 480X440
H 89(SS)
C 772X482(인셋)

BLACK HOLE 940 (B) **BEST**

Designed by BÊKJO

M 1000
T 940X520X240
B 550X450, 248X426
H 162 & 89(LDY)
C 916x496(Inset)
A Wire basket, Tempered glass cover

BLACK HOLE 940 (W) **BEST**

Designed by BÊKJO

M 1000
T 940X520X240
B 550X450, 248X426
H 162 & 89(LDY)
C 916x496(Inset)
A Wire basket, Tempered glass cover

BEST 870 **BEST**

Designed by BÊKJO

M 900
T 870X450X200
B 806X390
H 162(JS)
C 846X426(Inset)
A HPL Cover(2EA)



Calm:forte

A premium functional sink that combines timeless, elegant design with cutting-edge technology.



Calmforte 230 NEW



- M 400
- T 280X450X210
- B 230X400
- H 89(SS)
- C 238X408XR9
- A No accessories

Calmforte 550



- M 600
- T 550X450X230
- B 500X400
- H 162(JS)
- C 508X408XR9
- A Wire pocket, Embossed STS cover

Calmforte 630



- M 700
- T 630X450X250
- B 580X400
- H 162(JS)
- C 588X408XR9
- A Wire pocket, Embossed STS cover

Calmforte 730



- M 800
- T 730X450X250
- B 680X400
- H 162(JS)
- C 688X408XR9
- A Wire basdket, Wire pocket, Embossed STS cover, Campo wood cutting board

Calmforte 830 BEST



- M 900
- T 830X450X230
- B 780X400
- H 162(JS)
- C 788X408XR9
- A Wire basdket, Wire pocket, Embossed STS cover, Campo wood cutting board

Calmforte 900 BEST



- M 1000
- T 900X460X265
- B 850X410
- H 162(JS)
- C 858X418XR9
- A Wire basdket, Wire pocket, Embossed STS cover, Campo wood cutting board

Calmforte 930 NEW



- M 1000
- T 930X450X230
- B 880X400
- H 162(JS)
- C 888X408XR9
- A Wire basdket, Wire pocket, Embossed STS cover, Campo wood cutting board

Calmforte 960H NEW



- M 1000
- T 960X450X230
- B 910X400
- H 162(JS)
- C 918X408XR9
- A Wire basdket, Wire pocket, Embossed STS cover, Campo wood cutting board

Calmforte 950L



- M 1000
- T 950X452X270
- B 910X382
- H 162(JS)
- C 914X416
- A HPL drain board, Wire pocket, Embossed STS cover

Calmforte 540

M 600
 T 540X440X195
 B 500X400
 H 162(JS)
 C 508X408XR24
 A Wire pocket, Embossed STS cover

Calmforte 760 NEW

M 800
 T 760X460X200
 B 720X420
 H 162(JS)
 C 728X428XR24
 A Wire basket, Wire pocket, Embossed STS cover

Calmforte 800

M 900
 T 800X485X195
 B 766X446
 H 162(JS)
 C 770X455XR22
 A Wire basket, Wire pocket, Embossed STS cover

Calmforte 850L BEST


M 900
 T 850X486X200
 B 810X440
 H 162(JS)
 C 818X452XR44
 A Campo wood cutting board, Mesh basket, Wire pocket, Embossed STS cover

Calmforte 860 BEST

M 900
 T 860X464X200
 B 820X420
 H 162(JS)
 C 828X432XR24
 A Wire basket, Wire pocket, Embossed STS cover

Calmforte 960

M 1000
 T 960X464X200
 B 920X420
 H 162(JS)
 C 928X432XR24
 A Wire basket, Wire pocket, Embossed STS cover



- 3Slopes floor structure enables smooth drainage without stagnant water.
- Development of Korea's first scratch-resistant embossed sink bowl, designed for consumers who are highly sensitive to scratches.
- Excellent antibacterial and stain resistance through inorganic Coni clear coating.
- Minimize noise generated during use by attaching a quiet pad (Patent Registration No. 1020817110000)
- Consist of high-grade STS304 material wire basket, wire pocket, camphor wooden chopping board and stainless waste drain.

PREMIUM SINKS

The premium square sink (Used with 1.2T thickness hair line material) is 100% hand-made to add a fashionable, classic, European look to the kitchen.



- M Minimum cabinet size
T Whole size
B Bowl size
H Drain size
C Top's size
A Accessories by product
(※ Products with
※ width,depth tolerance ±2mm /
height tolerance ±5mm)

*TOTAL SIZE NOTATION (T)
ex) SQS(R)230 - 280X457X220(215)
: SQS230 - 280X457X220
: SQSR230 - 280X457X215

-Sink bowl depth is including the bottom part of the drainage.
-Due to the size difference of the cabinets, the sink's outer diameter needs to have around ±60 mm extra space for the brackets.

SQS(R) 230



- M 300
T 280X457X220(215)
B 230X407
H 89 (SS)
C 237X415(XR9)
A No accessories

SQS(R) 380

*Possible to order medium-sized drain hole



- M 500
T 430X457X270(255)
B 380X407
H 89 (SS) / 127
C 389X415(XR9)
A No accessories

SQS(R) 500



- M 600
T 550X450X230(240)
B 500X400
H 89 (SS) / 162(JS)
C 508X408(XR9)
A Wire basket, Small wire basket, Cutting board(Wood)

SQSR 630



- M 700
T 630X450X235
B 580X400
H 162(JS)
C 588X408XR9
A Wire basket, Small wire basket, Cutting board(Wood)

SQSR 730



- M 800
T 730X450X235
B 680X400
H 162 (JS)
C 688X408XR9
A Wire basket, Small wire basket, Cutting board(Wood)

SQS(R) 780 BEST



- M 900
T 830X450X230(250)
B 780X400
H 89 (SS) / 162(JS)
C 788X408(XR9)
A Wire basket, Small wire basket, Cutting board(Wood)

ESQSR8312 NEW BEST



- M 900
T 830X450X230
B 780X400
H 89 (SS) / 162(JS)
C 788X408(XR9)
A Wire basket, Small wire basket, Cutting board(Wood)

SQS(R) 900 BEST



- M 1000
T 900X460X270(245)
B 850X410
H 162(JS)
C 856X416(XR9)
A Wire basket, Small wire basket, Cutting board(Wood)

SQSR 950

M 1000
 T 950X450X270
 B 900X400
 H 162(JS)
 C 908X408XR9
 A Wire basket, Small wire basket,
 Cutting board(Wood)

SQS 1711

M 800
 T 685X457X270
 B 230X407, 380X407
 H 89 & 89(DY)
 C 643X415
 A No accessories

SQS 1717

*Possible to order
 medium-sized drain hole



M 900
 T 837X457X270
 B 380X407(2EA)
 H 89 & 89(DY) / 127 & 127
 C 795X415
 A No accessories

SQS 2311

M 900
 T 837X457X270
 B 533X407, 230X407
 H 89 & 89(DY)
 C 795X415
 A No accessories

CORTE 830 (Glossy)

PIN UP
 DESIGN AWARDS




M 900
 T 830X450X220
 B 780X400
 H 162(JS)
 C 788X408(XR9)
 A Wire basket, Small wire basket,
 Cutting board(Wood)

SNOW 830

M 900
 T 830X450X250
 B 780X400
 H 162(JS)
 C 788X408(XR9)
 A Wire basket, Cutting board(Wood)

ZR 007


M 900
 T 813X456X270
 B 368X406(2EA)
 H 90 & 90(DY)
 C 771X414
 A No accessories

**ZR 008**

M 900
 T 813X482X270
 B 763X432
 H 90(SS)
 C 771X440
 A Small wire basket

**ZR 009**

M 800
 T 760X456X270
 B 711X406
 H 90(SS)
 C 719X414
 A Small wire basket



CONI SINKS

This sink bowl features a scratch-resistant Goni Pearl Emboss finish. The textured embossed surface helps minimize everyday scratches, ensuring a clean appearance over time.



CNR 550



M 600
T 550X450X240
B 500X400
H 162(JS)
C 508X408XR9
A Wire basket

CNR 630



M 700
T 630X450X245
B 580X400
H 162(JS)
C 588X408XR9
A Wire basket

CNR 730



M 800
T 730X450X245
B 680X400
H 162(JS)
C 688X408XR9
A Wire basket

CNR 830 (10R)



M 900
T 830X450X250
B 780X400
H 162(JS)
C 788X408XR14
A Wire basket

CNR 900



M 1000
T 900X460X250
B 850X410
H 162(JS)
C 856X416XR9
A Wire basket

ECNR 8310



M 900
T 830X450X230
B 780X400
H 162(JS)
C 788X408XR9
A Wire basket, Coni embo cover

ECNRW 7530



M 800
T 750X515X230
B 690X400
H 162(JS)
C 722X487XR9
A Wire basket, Coni embo cover

ECNRW 8630



M 900
T 860X520X230
B 780X400
H 162(JS)
C 832X492XR9
A Wire basket, Coni embo cover

ECNRW 8830



M 900
T 880X520X230
B 810X400
H 162(JS)
C 852X492XR9
A Wire basket, Coni embo cover

ECNRW 9030



M 1000
 T 900X520X230
 B 830X400
 H 162(JS)
 C 872X492XR9
 A Wire basket, Coni embo cover

ECNRW 9530



M 1000
 T 950X520X230
 B 880X400
 H 162(JS)
 C 922X492XR9
 A Wire basket, Coni embo cover

ECNRW 9830



M 1000
 T 980X520X230
 B 910X400
 H 162(JS)
 C 952X492XR9
 A Wire basket, Coni embo cover



REFORM SINKS

This handmade sink is suitable for reforming by removing the existing sink bowl. Can create an elegant feeling to the kitchen simply by replacing the sink.



Calmforte 8535 BEST

Double emdo+Coating+
Calmforte pad+3.5T



FOSS-M faucet
can be added

- M 900
- T 850X520X230
- B 780X400
- H 162 (JS)
- C 822X492XR41
- *Standards for DS850 under-mount install
(not altering previous cutting size)
- A Camphor wood cutting board, Small wire basket,
Wire basket, Embossed STS cover

Calmforte 9035 Double emdo+Coating+ Calmforte pad+3.5T



- M 1000
- T 900X520X230
- B 830X400
- H 162 (JS)
- C 872X492XR9
- A Camphor wood cutting board, Small wire basket,
Wire basket, Embossed STS cover

Calmforte 9535 Double emdo+Coating+ Calmforte pad+3.5T



- M 1000
- T 950X520X230
- B 880X400
- H 162 (JS)
- C 922X492XR9
- A Camphor wood cutting board, Small wire basket,
Wire basket, Embossed STS cover

Calmforte 9835 Double emdo+Coating+ Calmforte pad+3.5T



FOSS-M faucet
can be added

- M 1000
- T 980X520X230
- B 910X400
- H 162(JS)
- C 952X492XR9
- A Camphor wood cutting board, Small wire basket,
Wire basket, Embossed STS cover

Belforte 8635 NEW Double emdo+3.5T



- M 900
- T 860X520X230
- B 780X400
- H 162 (JS)
- C 832X492XR9
- A Sink water saving bowl, Embossed STS cover,
Multi-purpose small wire basket

Belforte 8835 NEW Double emdo+3.5T



- M 900
- T 880X520X230
- B 810X400
- H 162 (JS)
- C 852X492XR9
- A Sink water saving bowl, Embossed STS cover,
Multi-purpose small wire basket

Belforte 9035 NEW Double emdo+3.5T



- M 1000
- T 900X520X230
- B 830X400
- H 162 (JS)
- C 872X492XR9
- A Sink water saving bowl, Embossed STS cover,
Multi-purpose small wire basket

Belforte 9535 NEW Double emdo+3.5T



- M 1000
- T 950X520X230
- B 880X400
- H 162 (JS)
- C 922X492XR9
- A Sink water saving bowl, Embossed STS cover,
Multi-purpose small wire basket

Belforte 9835 NEW Double emdo+3.5T



- M 1000
- T 980X520X230
- B 910X400
- H 162(JS)
- C 952X492XR9
- A Sink water saving bowl, Embossed STS cover,
Multi-purpose small wire basket

CESWSR 8635 3.5T BEST Embo+3.5T

M 900
T 860X520X230
B 780X400
H 162 (JS)
C 832X492XR9
A Wire basket, Embossed STS cover

CESWSR 8835 3.5T Embo+3.5T

M 900
T 880X520X230
B 810X400
H 162 (JS)
C 852X492XR9
A Wire basket, Embossed STS cover

CESWSR 9035 3.5T Embo+3.5T

M 1000
T 900X520X230
B 830X400
H 162 (JS)
C 872X492XR9
A Wire basket, Embossed STS cover

CESWSR 9535 3.5T Embo+3.5T

M 1000
T 950X520X230
B 880X400
H 162 (JS)
C 922X492XR9
A Wire basket, Embossed STS cover

CESWSR 9835 3.5T Embo+3.5T

M 1000
T 980X520X230
B 910X400
H 162 (JS)
C 952X492XR9
A Wire basket, Embossed STS cover

SWSR 8535 3.5T BEST 3.5T

M 900
T 850X520X230
B 780X400
H 162 (JS)
C 822X492XR9
A Wire basket, Cutting board(Wood)

SWSR 8835 3.5T 3.5T

M 900
T 880X520X230
B 810X400
H 162 (JS)
C 852X492XR9
A Wire basket, Cutting board(Wood)

SWSR 9035 3.5T 3.5T

M 1000
T 900X520X230
B 830X400
H 162 (JS)
C 872X492XR9
A Wire basket, Cutting board(Wood)

SWSR 9835 3.5T 3.5T

M 1000
T 980X520X230
B 910X400
H 162 (JS)
C 952X492XR9
A Wire basket, Cutting board(Wood)

SWSR 850 BEST 1.2T+Inset, under-mount

M 900
T 850X515X220
B 780X400
H 162 (JS)
C 822X487XR41
*Standards for DS850 under-mount install
(not altering previous cutting size)
A Wire basket, Cutting board(Wood)

SWSR 900 1.2T+Inset, under-mount

M 1000
T 900X520X270
B 850X410
H 162 (JS)
C 872X492XR9
A Wire basket, Cutting board(Wood)

SWSR 980 1.2T+Inset, under-mount

M 1000
T 980X525X220
B 910X400
H 162 (JS)
C 952X497XR9
A Wire basket, Cutting board(Wood)

COLINA 850



M 900
T 850X515X230
B 780X400
H 162 (JS)
C 822X492XR9

MODI 850



M 900
T 850X515X230
B 780X400
H 162 (JS)
C 822X487XR41
A HPL board

NUEVO 850

*No silent pads



M 900
T 850X510X230
B 790X365
H 162(JS)
C 830X490
A Wire basket

PLATO



M 900
T 문의요망
B 780X400
H 162(JS)
C Contact Us

RLD 860 (EMBO) NEW

M 900
T 860X520X250
B 790X405
H 162(JS)
C 832X492XR9
A Cutting board, Washing bowl board, Fork basket board, Portion bowl board set, Wire Accessory storage

RLD 980 (EMBO) NEW

M 1100
T 980X520X250
B 910X405
H 162(JS)
C 952X492XR9
A Cutting board, Washing bowl board, Fork basket board, Portion bowl board set, Wire Accessory storage

RECO 85 / RECO 85 + FOSS-M BEST

M 900
T 850X520X230
B 780X400
H 162(JS)
C 822X492XR9
A STS Drain board, STS Washing bowl, Cutting board(Wood)

RECO 85 + FOSS-M (EMBO) NEW


M 900
T 850X520X230
B 780X400
H 162(JS)
C 822X492XR9
A STS Drain board, STS Washing bowl, Cutting board(Wood)

RECO 85 (GOLD)

*Coating option can be added



M 900
T 850X520X230
B 780X400
H 162(JS)
C 822X492XR41
A STS Drain board, STS Washing bowl, Cutting board(Wood)

RECO 98 + FOSS-M (EMBO) NEW

M 1000
T 980X520X230
B 910X400
H 162(JS)
C 952X492XR9
A Wire basket, Cutting board(Wood)

BRIC 85 (BOTTOM EMBO) NEW

M 900
T 854X524X230
B 790X460
H 162(JS)
C 837X492XR9
A Convenient Acc(set)

LAYERED SINKS

The integrated internal ledge system allows for layered use of various dedicated accessories, enabling simultaneous cooking and cleaning. It enhances workflow efficiency and maximizes the usability of kitchen space.



LD 830 OEM



M 900
T 830X456X270
B 790X416
H 89(SS) / 162(JS)
C 798X424
A Drain board, Drain cover

LD 950 OEM



M 1000
T 950X456X250
B 910X416
H 162(JS)
C 918X424
A Drain board, Drain cover

LD 9511 BEST



M 1000
T 950X452X270
B 910X382
H 162(JS)
C 914X416
A Drain board, Drain cover, Small wire basket, cutting board

LD 940 NEW




M 1000
T 940X460X250
B 900X420
H 162(JS)
C 908X428XR14
A Cutting board, Washing bowl board, Fork basket board, Portion bowl board set, Wire Accessory storage



LD 1020 NEW



M 1100
T 1020X460X250
B 980X420
H 162(JS)
C 988X428XR14
A Cutting board, Washing bowl board, Fork basket board, Portion bowl board set, Wire Accessory storage



CYGNUS 760 (PVD)



M 800
T 760X490X200(LEFT SIDE), 245(RIGHT SIDE)
B 720X400
H 89(SS)
C 724X465XR27
A Bottom grid, Washing bowl, Drain strainer

INSET & UNDER SINKS

The inset/under sink was made to meet the consumer's need and desire to decorate their kitchen with their own liking.



M Minimum cabinet size
T Whole size
B Bowl size
H Drain size
C Top's size
A Accessories by product

(※ Products with
※ width,depth tolerance ±2mm /
height tolerance ±5mm)



*Stainless drain cover
additional purchase

-Sink bowl depth is including the bottom part of the drainage.
-Due to the size difference of the cabinets, the sink's outer diameter
needs to have around ±60 mm extra space for the brackets.

IS 430



M 500
T 430X480X180
B 340X340
H 89 (SS) / 162(JS)
C 398X448XR39
A No accessories

IS 480



M 600
T 480X430X175
B 390X340
H 89 (SS) / 162(JS)
C 458X408XR44
A No accessories

HN 500 OEM



M 600
T 500X500X175
B 430X430
H 162(JS)
C 476X476XR88
A Sink drainage half cover

WDS 500



M 600
T 500X500X175
B 430X430
H 162(JS)
C 476X476XR88
A Sink drainage half cover

IS 530



M 600
T 530X420X180
B 500X390
H 162(JS)
C Inquiry Required
A No accessories

GD 540



M 600
T 540X440X195
B 500X400
H 162(JS)
C 508X408XR24(Inquiry Required)
A Small wire basket

SC 550



M 600
T 550X440X170
B 500X390
H 162(JS) / 127
C 528X418XR104
A Sink drainage half cover



SC 550 MEDIUM DRAIN BEST



M 600
T 550X440X170
B 500X390
H 162(JS) / 127
C 528X418XR104
A Sink drainage half cover

PE600 NEW

M 700
T 600X515X200
B 536X396
H 162(JS)
C Contact Us
A Small wire basket

OS 630

M 700
T 630X470X200
B 550X370
H 162(JS)
C 602X442XR46
A Wire basket

GD 640

M 700
T 640X440X200
B 600X400
H 162(JS)
C Contact Us
A Small wire basket

LS 700

M 800
T 700X470X195
B 620X390
H 162(JS)
C 672X442XR46
A Wire bottom grid

DS 740

M 800
T 740X515X190
B 660X435
H 162(JS)
C 712X487XR106
A Wire basket, Small wire basket

GD 760 OEM

M 800
T 760X464X200
B 720X424
H 162(JS)
C 728X432XR29(Inquiry Required)
A Wire basket, Small wire basket

DS 780

M 900
T 780X480X195
B 700X405
H 162(JS)
C 756X456XR38
A Small wire basket (DS850)

OS 800

M 900
T 800X510X200
B 720X420
H 162(JS)
C Inquiry Required
A Wire basket

DS 800

M 900
T 800X480X195
B 734X412
H 162(JS)
C 772X452XR86
A Small wire basket (DS840)

GD 800 L/R BEST

M 900
T 800X485X195
B 766X451
H 162(JS)
C 770X455XR22(Inquiry Required)
A Wire basket, Small wire basket

RS 820, PRS 820 (Pocket)

M 900
T 820X480X190
B 740X400
H 162(JS)
C 796X456XR88
A No accessories

BD833

M 900
T 833X479X235
B 790X435
H 162 (JS)
C Inquiry Required

RS 840, PRS 840 (Pocket) L/R

M 900
T 840X510X190
B 762X429
H 162(JS)
C 808X478XR84
A Wire basket

BJ 84 BEST

M 900
T 840X464X210
B 800X424
H 162 (JS)
C 808X432XR29 (Inquiry Required)
A Wire basket, Small wire basket

DS 840, PDS 840 (Pocket) L/R

M 900
T 840X510X200
B 770X440
H 162 (JS)
C 812X482XR86
A Wire basket, Small wire basket, Sink drainage half cover

DSC 840, PDSC 840 (Pocket) L/R

M 900
T 840X510X200
B 770X440
H 162 (JS)
C 812X482XR86
A Wire basket, Small wire basket, Sink drainage half cover

GD 844

M 900
T 840X440X200
B 800X400
H 162(JS)
C Inquiry Required
A Wire basket, Small wire basket

QLD 850 BEST

M 900
T 850X486X200
B 810X440
H 162 (JS)
C 818X452XR44 (Inquiry Required)
A HPL board, Mesh basket, Small wire basket, Wire basket

DS 850, PDS 850 (Pocket) L/R -100R
DSC 850, PDSC 850 (Pocket) L/R -100R

M 900
T 850X515X200
B 770X440
H 162 (JS)
C 822X487XR41
A Wire basket, Small wire basket

FDS 850 BEST

M 900
T 850X515X200
B 770X440
H 162 (JS)
C 822X487XR41
A Wire basket, Small wire basket, Stainless colander

**WSDS 850** BEST

M 900
T 850X515X200
B 770X440
H 162 (JS)
C 822X487XR41
A Wire basket, Small wire basket, Stainless colander

NS 850

M 900
T 850X515X200
B 780X390
H 162 (JS)
C 822X487XR41
A Wire basket

**HBS 850 L/R** OEM

M 900
T 850X515X200
B 780X445
H 162 (JS)
C 826X491XR43
A Wire basket, Small wire basket

**SJS 850**

M 900
T 850X460X195
B 720X390
H 162 (JS)
C 828X438XR44
A No accessories

GD 860 L/R BEST

M 900
 T 860X464X200
 B 820X424
 H 162 (JS)
 C 828X432XR24 (Inquiry Required)
 A Wire basket, Small wire basket

WAVE 860

M 900
 T 860X515X200
 B 786X439
 H 162 (JS)
 C 828X483XR39
 A Wire basket, Small wire basket

EDGE 870EMBO
OPTION

M 900
 T 870X515X200
 B 796X441
 H 162 (JS)
 C 840X485XR40
 A Wire basket, Small wire basket, Dishcloth rack

**JS 870, JSC 870
JS 1020**

M 900
 T 870X480X200
 B 780X390
 H 162 (JS)
 C 838X448XR39
 A Wire basket

M 1100
 T 1020X480X200
 B 940X400
 H 162 (JS)
 C 988X448XR39
 A Wire basket

DS 880, PDS 880(포켓)

M 1000
 T 880X525X205
 B 810X450
 H 162 (JS)
 C 852X497XR41
 A Wire basket, Small wire basket

3D 900 BESTEMBO
OPTION

M 1000
 T 900X520X190
 B 830X382
 H 162 (JS)
 C 878X498XR44
 A Wire basket, Small wire basket, Wire bottom grid, Cutting board rack

ULTRA 900 BEST

M 1000
 T 900X515X185
 B 766X451
 H 162 (JS)
 C 874X489XR39
 A Wire basket, Small wire basket

ID 900

M 1000
 T 900X500X190
 B 400X390, 340X390
 H 162 & 89 (LDY), 89 & 89 (DY)
 C 876X476XR48
 A No accessories

HE 940 OEM

M 1000
 T 940X515X205
 B 868X443
 H 162 (JS)
 C 916X491XR61
 A Wire basket, Small wire basket, Sink drainage half cover

GD 940

M 1000
 T 940X440X200
 B 900X400
 H 162 (JS)
 C Inquiry Required
 A Wire basket, Small wire basket

HN 947 OEM

M 1000
 T 940X515X205
 B 868X443
 H 162 (JS)
 C 916X491XR61
 A Wire basket, Small wire basket, Sink drainage half cover

HD 950 OEM

M 1100
 T 950X515X205
 B 888X453
 H 162 (JS)
 C 926X491XR99
 A Wire basket, Small wire basket, Plastic tray

GD 960 L/R BEST



- M 1100
- T 960X464X200
- B 920X424
- H 162 (JS)
- C 928X432XR24 (Inquiry Required)
- A Wire basket, Small wire basket

DS 980 OEM



- M 1100
- T 980X525X205
- B 910X455
- H 162 (JS)
- C 952X497XR111
- A Wire basket, Small wire basket, Stainless colander

DL 980 OEM



- M 1100
- T 980X510X210
- B 909X439
- H 162 (JS)
- C 956X486XR103
- A Wire basket, Small wire basket

BD 1100



- M 1100
- T 1100X500X190
- B 400X390 (2EA)
- H 162 & 89 (LDY)
- C 1058X458XR39
- A No accessories



MEDIUM DRAIN SINKS

Introducing the medium-sized drain sink bowl which is first designed by Baekjo. It emphasizes a unique, elegant feeling to the sink with a brushed finish on the surface.



SQSR 380 (Medium drain sink)



M 500
T 430X457X270
B 380X407
H 127
C 389X415
A No accessories

BD 832 (Medium drain sink)



M 900
T 836X476X235
B 385X432(2EA)
H 127 and 127
C 798X440XR44 (Inquiry Required)
A HPL drain board, Small wire basket, Wire bottom grid (2EA)

SQS 1717 (Medium drain sink)



M 900
T 837X457X270
B 380X407(2EA)
H 127 and 127
C 795X415
A HPL drain board, Small wire basket

SC 550 (Medium drain sink)



M 600
T 550X440X170
B 500X390
H 127
C 528X418XR104
A No accessories

BÊKJO Medium drain sink (127Ø)



The inside of the drain is made of stainless steel, which is excellent for preventing bacterial growth and odor.

[Drain size]

*This is a staged image to help you understand.



Small-sized-drain
Ø 89



Medium-sized-drain
Ø 127



Large-sized-drain
Ø 162

QUIET SINKS

With over 60 years of Baekjo's technological expertise, 'Quiet Sink Bowl' is first premium sink bowl that minimizes dishwashing noise in Korea.



EQ 540



M 600
T 540X440X195
B 500X400
H 162(JS)
C 508X408XR24(Inquiry Required)
A Small wire basket

QUIET 640



M 700
T 640X440X200
B 600X400
H 162(JS)
C Inquiry Required
A Small wire basket

(E)Q 800



M 900
T 800X485X195
B 766X451
H 162(JS)
C 770X455XR22(Inquiry Required)
A Wire basket, Small wire basket

Q 833



M 900
T 833X479X235
B 790X435
H 162(JS)
C Inquiry Required

QLD 850



M 900
T 850X486X200
B 810X440
H 162(JS)
C 818X452XR44(Inquiry Required)
A HPL board, Mesh basket, Small wire basket

(E)Q 860



M 900
T 860X464X200
B 820X424
H 162(JS)
C 828X432XR24(Inquiry Required)
A Wire basket, Small wire basket

(E)Q 960



M 1100
T 960X464X200
B 920X424
H 162(JS)
C 928X432XR24(Inquiry Required)
A Wire basket, Small wire basket

*Products with "Q" in the model name feature a circular-round surface finish.
"EQ" have an embossed surface finish.

AGE-FRIENDLY SINKS

Sink bowl for wheelchair users

This is a functional sink bowl which designed for users in wheelchairs can comfortably wash dishes while sitting.



Age-Friendly 430



M 500
T 429X476X140
B 385X432
H 89(SS), 127(Medium drain)
C Inquiry Required

Age-Friendly 835



M 900
T 834X479X140
B 790X435
H 89(SS)
C Inquiry Required

Age-Friendly 700



M 800
T 700X470X150
B 620X390
H 162(JS)
C 672X442XR46


Age-Friendly 780



M 900
T 830X450X150
B 780X400
H 162(JS)
C 788X408XR9

ENAMELED SINKS

This is an enameled sink bowl that is colored by fusion bonding a glaze to a metal sink bowl. It can be produced by giving a point that is different from stainless steel.



ENAMELED 540(BK,WH)



M 600
T 540X440X195
B 500X400
H 162 (JS)
C 508X408XR24 (Inquiry Required)
A Small wire basket, Wire bottom grid

LINED ENAMELED 540

Color can be changed



M 600
T 540X440X195
B 500X400
H 162 (JS)
C 508X408XR24 (Inquiry Required)
A Small wire basket, Wire bottom grid

ENAMELED 860(BK,WH)



M 900
T 860X464X200
B 820X420
H 162 (JS)
C 828X432XR24 (Inquiry Required)
A Small wire basket, Wire basket, Wire bottom grid

LINED ENAMELED 860

Color can be changed



M 900
T 860X464X200
B 820X420
H 162 (JS)
C 828X432XR24 (Inquiry Required)
A Small wire basket, Wire basket, Wire bottom grid

QLD 850(Multi-color)

Color can be changed



M 900
T 850X486X200
B 810X440
H 162(JS)
C 818X452XR44
A HPL board, Mesh basket, Small wire basket

Galaxy 850



M 900
T 850X486X200
B 810X440
H 162(JS)
C 818X452XR44
A HPL board, Mesh basket, Small wire basket

ENAMELED PE600 NEW

Color can be changed



M 700
T 600X515X200
B 536X396
H 162(JS)
C Inquiry Required
A Small wire basket

FARM SINKS

Farm Sink is a sink bowl that can create a luxurious atmosphere on the kitchen top by exposing the front of the sink plate.



FARM (BK)



M 900
T 865X540X230
B 790X435
H 89 (SS)
C Inquiry Required

FARM (STS)



M 900
T 830X500X220
B 780X400
H 162 (JS)
C Inquiry Required

US SINKS

Used with thickness of 1.2/1.5T material and SATIN FINISH surface treated stainless steel add to its durability while the depth of the sink is recognized for having a high capacity for water with its deep basins.



BS 380-16 *Enamel Compatible R80



M 500
T 380X470X180
B 330X419
H 90±1 (SS)
C Inquiry Required

BS 584-16 R80
*Enamel/Embo Compatible



M 600
T 584X445X230
B 534X403
H 90±1 (SS)
C Inquiry Required

BS800-16 R80
*Enamel/Embo Compatible



M 900
T 800X467X255
B 750X413
H 90±1 (SS)
C Inquiry Required
A Wire bottom grid

BD 813-16 L TYPE R80
BD 813R-16 R TYPE
*Embo Compatible



M 900
T 813X524X230
B 400X473, 330X419
H 90±1 & 90±1 (DY)
C Inquiry Required
A Wire bottom grid

BD 820-18, BD 820-16 R80
*Embo Compatible



M 900
T 820X457X220
B 368X413 (2EA)
H 90±1 & 90±1 (DY)
C Inquiry Required
A Wire bottom grid

BD 822-18, BD 822-16 L TYPE R80
BD 822R-18, BD 822R-16 R TYPE
*Embo Compatible



M 900
T 822X521X230
B 450X471, 290X391
H 90±1 & 90±1 (DY)
C Inquiry Required
A Wire bottom grid

BS425-16 R40



M 500
T 425X476X235
B 381X432
H 127
C Inquiry Required

BS628-16 R40



M 700
T 628X476X235
B 584X432
H 127
C Inquiry Required

BS833-16 R40



M 900
T 833X476X235
B 789X432
H 127
C Inquiry Required

BD 832-16

R40



M 900
T 836X476X235
B 385X432 (2EA)
H 127±1 & 127±1
C Inquiry Required

BS432-16

R30



M 500
T 432X483X235
B 381X432
H 89(SS)
C Inquiry Required

BS813-16

R30



M 900
T 813X486X235
B 762X435
H 89(SS)
C Inquiry Required

BS838-16

R30



M 900
T 838X483X235
B 381X432(2EA)
H 89(SS)
C Inquiry Required

K540B-18 *Enamel Compatible

R20



M 600
T 540X440X195
B 500X400
H 127
C Inquiry Required

K800B-18 *Enamel Compatible

R20



M 900
T 800X485X195
B 766X446
H 127
C Inquiry Required

SINGLE LAY-ON SINKS

A small sink with additional space between the cooking place and the sink to accommodate narrower kitchens.



SS 600



M 600
T 600X550(600)X290
B 400X390
H 89 (SS)

SS 610



M 610
T 610X635X290
B 400X390
H 89 (SS)

SS 700 L/R



M 700
T 700X550X290
B 340X390
H 89 (SS)

SS 762 L/R



M 762
T 762X635X290
B 340X390
H 89 (SS)

SS 800 L/R



M 800
T 800X550X290
B 400X390
H 89 (SS)

SS 900 L/R



M 900
T 900X550(600)X290
B 400X390
H 89 (SS)

NSS 900 L/R



M 900
T 900X550(600)X290
B 400X390
H 89 (SS)

SS 914 L/R



M 914
T 914X635X290
B 400X390
H 89 (SS)

SS 1000 L/R



M 1000
T 1000X550(600)X290
B 500X390
H 89 (SS)

LW 1000 L/R **BEST****PIN UP**
DESIGN AWARDS

M 1067
T 1000X600X307
B 500X390
H 89 (SS)

SS 1067 L/R

M 1067
T 1067X635X290
B 500X390
H 89 (SS)

SS 1100 L/R

M 1100
T 1100X550X290
B 500X390
H 89 (SS)

SS 1200 L/R

M 1200
T 1200X550X290
B 500X390
H 89 (SS)

SSC 1200

M 1200
T 1200X550(600)X290
B 400X390
H 89 (SS)

SSC 1524

M 1524
T 1524X635X290
B 500X390
H 89 (SS)

LAY-ON SINK (1800) **NEW**

T 1800X650X230
B 780X400
H 162(JS)



 Minister of Trade, Industry and Energy Award(2025)

JUMBO SINKS

If more space is needed to wash dishes, the jumbo sink is suitable for you. It is useful for accommodating larger kitchenware.



JS 900



M 900
T 900X550(600)X305
B 780X390
H 162 (JS)

JS 1000



M 1000
T 1000X550(600)X305
B 780X390
H 162 (JS)

JS 1100 L/R



M 1100
T 1100X550X305
B 780X390
H 162 (JS)

JS 1200 L/R



M 1200
T 1200X550(600)X305
B 780X390
H 162 (JS)

NJS 1200 L/R



M 1200
T 1200X550(600)X305
B 780X390
H 162 (JS)

JS 1300 L/R



M 1300
T 1300X550X305
B 780X390
H 162 (JS)

JS 1400 L/R



M 1400
T 1400X550X305
B 780X390
H 162 (JS)

JS 1500 L/R



M 1500
T 1500X550(600)X305
B 780X390
H 162 (JS)

JSC 1500 L/R



M 1500
T 1500X550X305
B 780X390
H 162 (JS)

JS 1800 L/R



M 1800
T 1800X550(600)X305
B 780X390
H 162 (JS)

DOUBLE LAY-ON SINKS

The two sinks are designed to help with multitasking in the kitchen.



SD 1200 L/R



M 1200
T 1200X550X290
B 340X390 (2EA)
H 89 & 89 (DY)

SD 1067



M 1067
T 1067X635X290
B 340X390 (2EA)
H 89 & 89 (DY)

LSD 1200



M 1200
T 1200X550X290
B 400X390, 340X390
H 162 & 89 (LDY)

LSD 1500 L/R



M 1500
T 1500X550X290
B 500X390, 340X390
H 162 & 89 (LDY)

LAY ON TABLE

Stainless steel gas stand and cooking table can be used to utilize a larger kitchen space.



GAS TABLE (SG600)



M 600
T 600X550X265

COOKING TABLE (ST300~1200)



M 300~1200
T 300~1200X550X120

Accessories & Appliance

Various accessories for sink.
By using accessories to match your sink,
you can create more luxurious kitchen.



WIRE BASKET BEST



Matching Model

* The shape of the bottom grid
varies according to each model.

WIRE POCKET BEST



Matching Model

* The shape of the bottom grid
varies according to each model.

WIRE BOTTOM GRID



Matching Model

* The shape of the bottom grid
varies according to each model.

LS700 / DS850 / 3D900 / DSC850

CSB 820



Matching Model

* The shape of the bottom grid
varies according to each model.

DS850 / FDS850 / DS980

SQS STAINLESS STEEL ACCESSORY



Matching Model

SQS(R)780 / SWSR780

DRAIN COVER / BOARD



Matching Model

LD830 / LD950 / LD9511

CUTTING BOARD(WOOD)



Matching Model

* The shape of the bottom grid
varies according to each model.

WAVE860 / EDGE870 / SQS(R)500
SQSR630 / SQSR730 / SQS(R)780
SQS(R)900 / SQSR930 / SQSR950
LD9511

CAMPBOR WOOD CUTTING BOARD



Matching Model

* The shape of the bottom grid
varies according to each model.

CALMFORTE730 / CALMFORTE830
CALMFORTE900 / CALMFORTE930 / CALMFORTE960H

HPL DRAIN BOARD BEST

* SIZE : 40.5X40.5X5cm



Matching Model

* The shape of the bottom grid
varies according to each model.

SQS(R)780 / SQS(R)900 / SQSR930
SQSR950 / SQS1717 / LD9511 / BEST360
BEST870 / QLD850 / BD832
CALMFORTE7950L / CALMFORTE850L

SINK DRAINAGE STAINLESS COVER

BEST



Matching Model * The shape of the bottom grid varies according to each model.

Large 162(JS) / Medium / Small 89(SS)

SINK DRAINAGE HALF COVER



Matching Model

HN500 / WDS500 / SC550 / DS(C)840
EDSH880 / HE940 / HN947

STS Drain Cover

BEST



Matching Model (Open type, STS, Chrome, Embo)

162(JS)

STS Corner Grid

BEST



Matching Model

CalmForte Sinks / Quiet Sinks
SWSR, SQS(R) Sinks / GRAND Sinks

STS Corner Shelf

BEST



Matching Model

CalmForte Sinks / Quiet Sinks
SWSR, SQS(R) Sinks / GRAND Sinks

SOAP DISPENSER



Matching Model

* The shape of the bottom grid varies according to each model.

Multi-Purpose Acc SET

BEST




Matching Model

SQSR630, 730, 780, 900
CalmForte630, 730, 830, 900

Bottom Grid(SQS(R))

BEST



Matching Model * The shape of the bottom grid varies according to each model.

GD540 / GD860 / CalmForte540 /
CalmForte830 / CalmForte860 / SWSR 850 /
SWSR8535 / CalmForte 3.5T / SQS(R)780

WAVE WIRE BASKET

BEST




Matching Model

CalmForte Sinks / Quiet Sinks
SWSR, SQS(R) Sinks / GRAND Sinks

Multi-Purpose Small Wire Basket

BEST



Matching Model

CalmForte Sinks / Quiet Sinks
SWSR, SQS(R) Sinks / GRAND Sinks
*(LD9511, Calmforte 950L : X)

Tap Wire Grid

BEST



Matching Model

CalmForte Sinks / Quiet Sinks
SWSR, SQS(R) Sinks / GRAND Sinks

*Has to have about 100mm of space behind the sink to use it.

Wash & Drain Bowl

NEW



Matching Model

* Compatible only with square sinks with an inner vertical width of 400 mm

DRAIN FITTING

Drain fittings for sink that comes in different sizes: small, medium, large.



SS TYPE (89Φ)



DY TYPE (89Φ & 89Φ)



LDY TYPE (89Φ & 162Φ)



JS TYPE (162Φ)



BÊKJO All stainless steel drain



Matching Model
89Φ
(OVERFLOW : additional available)

ONE-TOUCH HOOK TYPE BEST



Matching Model
162Φ (OVERFLOW : X)

BJ MEDIUM DRAIN BEST



Matching Model
127Φ (OVERFLOW : X)

Easy clean drains (162Φ) BEST



Matching Model
167Φ, 89Φ
(OVERFLOW : additional available)

All stainless steel drains



Matching Model
167Φ
(OVERFLOW : additional available)

KITCHEN HOOD

Baekjo designs and develops kitchen hoods based on the SMART SINK SYSTEM concept.



BH-S600SV

Product Size : 598X307X150
Moter : AC MOTOR
Main Materials : Alluminium
Airflow Adjustment(CMH)
: 2Level (295/220)
Noise(DB) : 53 / 45



BH-S600SV

Product Size : 598X285X175
Moter : AC MOTOR
Main Materials : Stainless steel
Airflow Adjustment(CMH)
: 2Level (280/240)
Noise(DB) : 53 / 45



BH-S600BK

Product Size : 598X307X150
Moter : AC MOTOR
Main Materials : Alluminium
Airflow Adjustment(CMH)
: 2Level (295/220)
Noise(DB) : 53 / 45



BH-M6060ST BH-M6070ST

Product Size : 598X410X600
: 598X410X700
Moter : AC MOTOR
Main Materials : Stainless steel
Airflow Adjustment(CMH)
: 3Level (336/302/258)
Noise(DB) : 55 / 51 / 49



ROX 900 BEST

Product Size : 900X460X350
Moter : BLDC MOTOR
Main Materials : Stainless steel
Airflow Adjustment(CMH)
: 3Level(420/380/310)
Noise(DB) : ≤ 60 dB



VEK600 / 900 BEST

Product Size : 518X278X360
: 720X280X360
Moter : BLDC MOTOR
Main Materials : Stainless steel
Airflow Adjustment(CMH)
: 3Level(330/280/230)
: 3Level(390/330/270)
Noise(DB) : ≤ 60 dB



LEO 900 BEST

Product Size : 898X460X350
Moter : BLDC MOTOR
Main Materials : Stainless steel
Airflow Adjustment(CMH)
: 3Level(420/370/300)
Noise(DB) : ≤ 60 dB
Color : White, Black, Yellow, Pink

BÊKJO FAUCET

Designed with the perfect balance to complement your sink bowl, this is Baekjo kitchen faucet. Choose from a variety of lineups to find the faucet that best suits your sink bowl.



BF-B1000



SIZE
H 320 C Ø38

COLORS
Chrome

BF-B4000



SIZE
H 365 C Ø38

COLORS
Chrome

CONI 6002



SIZE
H 380 C Ø38

COLORS
Brushed Nickel

CONI 6004



SIZE
H 390 C Ø38

COLORS
Chrome

RIVA 497



SIZE
H 465 C Ø38

COLORS
Brushed Nickel

RIVA-U 454 BEST



SIZE
H 423 C Ø38

COLORS
Brushed Nickel / Gun gray

SLIM-U 475



SIZE
H 475 C Ø38

COLORS
Brushed Nickel / WHITE

SLIM-V 486



SIZE
H 380 C Ø38

COLORS
WHITE

HORN-D 433 BEST



SIZE
H 433 C Ø38

COLORS
Brushed Nickel

HORN 545**SIZE**

H 440 C Ø38

COLORS

Brushed Nickel

ORA 432 BEST**SIZE**

H 432 C Ø38

COLORS

Brushed Nickel

SEVEN 424**SIZE**

H 445 C Ø38

COLORS

Brushed Nickel

FOSS-Z 433 BEST**SIZE**

H 433 C Ø38

COLORS


Brushed Nickel

FOSS-I 380 BEST**SIZE**

H 380 C Ø38

COLORS

Brushed Nickel

FOSS-V 360 BEST**SIZE**

H 363 C Ø38

COLORS

Brushed Nickel

FOSS-D 316**SIZE**

H 380 C Ø38

COLORS

Brushed Nickel

ALTO-O 545**SIZE**

H 440 C Ø38

COLORS

Brushed Nickel / WHITE

ALTO-U 470 BEST**SIZE**

H 440 C Ø38

COLORS

Brushed Nickel

ARC-D 370**SIZE**

H 360 C Ø38

COLORS

Brushed Nickel

ARC-U 420**SIZE**

H 420 C Ø38

COLORS

Brushed Nickel

FOSS-M 220**SIZE**

WxH 220x28 C Ø38

COLORS

Black

SINKBOWL REPLACEMENT

Refresh your kitchen by replacing only the sink while keeping your existing countertop.



High-Quality
Sink



Professional
Installation



Quick&Clean
Process

Reform Service Process



01 Remove Existing Sink

Detach the brackets securing the drain and sink, and disconnect the faucet hose. Remove the silicone around the sink edge, then use tools to take out the sink.



02 Install Sink, Drain, and Faucet

Install the faucet onto the sink flange according to the desired position. Apply silicone to the contact area of the sink flange, then place the sink onto the countertop. Once properly positioned, connect and secure the drain.



03 Leveling & Silicone Finishing

Check the condition of the drain and ensure there are no leaks. Confirm the sink is level, then finish by cleaning up any excess silicone on the countertop.

Before & After

840,850 sink → Reborn 85



840,850 sink → Edge 85




840,850 sink → Modi 85



840,850 sink → Reborn 85




Sink Measurement Guide




1. Please measure the cutout dimensions (width × depth) of your existing countertop.

*Countertop cutout: Width × Depth



2. Measure the front-to-back width of the countertop where the sink is installed.

*Countertop Width:



3. Open the cabinet door below the sink and measure the interior width.

*Cabinet Width:

STAINLESS STEEL WORKTOP

We are introducing [customized production] according to the needs of consumers.

The production period after ordering will take about 10~12days.

You should order the product considering the installation schedule of the product.

• PRODUCTION SPECIFICATION

MATERIAL / THICKNESS Stainless Steel 304 **Hair Line 1.2T** or Stainless Steel 304 **Vibration 1.2T** or Stainless Steel 304 **Embo 1.2T**

WORKTOP THICKNESS Thickness of the worktop is up to **13T / 22T~80T**. (* The maximum possible thickness can be changed depending on the selected material and the width of the cabinet)

PRODUCTION SIZE **Hair Line : (22t standard) 3600x1000mm / Vibration : (22t standard) 2700x1200mm, 3600x1000mm**

(* The longer the width, the more distortion can occur in the transportation process)

POSSIBLE FORM

— Straight or Irish worktop

“┐”- type worktop
(It does not come out in one body.
Requested finishing work on the spot.)

“ㄣ”- type worktop


(* Please contact us to make a top plate with round or curved shape.)

FINISHING WORK FOR WORKTOP

Cutting straight or diagonal → Silicone finish O

Wooden reinforcement finish (PB E0, MDF)

*




*MATCHING MODEL

SQS(R)230, SQS(R)380, SQS(R)500,
SQSR630, SQSR730, SQS(R)780,
SQS(R)900, SQSR930, LD9511



TIP

Check the bending length (see a chart)
Use of piece
(diameter 3.5 * 30mm or more)



SIDE VIEW

Check the bending length for each standard

NO.	X	Y	Z
1	12	10	9
2	22	15	9

	X	Y
22	15	
30	15	
40	30	

*Laser Cutting Dimension is -1mm from basic dimension.

Why Stainless Worktop? 100% Stainless Steel Hand-made



Eco-friendly



Recycling



Healthy



Clean



Hand-made

• HOW TO ORDER AND CONTACT US

* The basic ordering method is described as below, and the cost of the quotation of the company and the consumer will be different.

1. MEASURING OF SIZE


Please determine the size of the worktop to be made.
(Width X Vertical length)

* It is based on 600mm width and up to 3.6m length.

The price per meter is measured based on 600mm.
For larger width, additional costs will be incurred.

2. MATERIAL SELECTION

Select the material to be made between the hairline, vibration or Vintage finish.



3. HEIGHT OF WORKTOP

The height of the worktop is 22-80T. There is no price difference according to the height. We will advise if the requested height can be produced or not by inquiry.

4. HOLE SIZE

Please inform us about the specific sink, cooktop, faucet and soap dispensers that you are planning to install.

* Only handmade sink can be installed.

* Please refer to our homepage and let us know the model name of the sink you want to attach and we will guide you to a more accurate quotation.

5. COST AND SCHEDULE GUIDE

We will provide you with detailed information about the quotation and production schedule. Basically, it takes about two weeks to produce.

* Additional fee incurred / installation must be done separately. In our company, only the freight is beared.

Luski+5

Luxury Stainless Kitcher

Luski +5 is possible to produce magnificence and luxurious worktop by using 5mm thickness (T5) slim stainless steel without bending and utilizing solid stainless steel material.

Stainless
Worktop
T5 launching

[Available specification]

- Max 2900*1150mm
- Attached SQS sink and LD9511
- Pattern is selectable

• CASES OF CONSTRUCTION

